

X-03A GARNET FINISHING A PAPER

Features & Applications

Specially suited for dry finishing applications on wood surfaces where conformability and consistent finish are of prime concern. The open-coat garnet abrasive on a light A-weight paper backing provides balanced performance. Designed for fiberglass, cabinet shops and wood industry.

Presentation & Standard Sizes

Sheets 230 mm. x 280 mm.

Available Grit 180, 220

Grain	Garnet
Backing	A Wt. Paper
Bonding	Resin Over Glue
Coating	Open Coat

X-03C GARNET CABINET C PAPER

Features & Applications

This product, with stronger backing than the Finishing Paper, is designed for intermediate sanding applications. An open coated Garnet abrasive on C-weight paper backing, yields excellent sanding results, when used in the wood industry.

Presentation & Standard Sizes

Sheets 230 mm. x 280 mm.
 Jumbo Rolls 915 mm.

Available Grit 100, 150

Grain	Garnet
Backing	C Wt. Paper
Bonding	Resin Over Glue
Coating	Open Coat

X-03D GARNET CABINET D PAPER

Features & Applications

Designed for dry sanding applications where resistance to tearing is crucial but loading and conformability are not important. The specially-treated Garnet abrasive on an open coat garnet D-weight paper backing provides soft, consistent sanding action and long life. Suitable for flat sanding on wood, paint or varnish.

Presentation & Standard Sizes

Sheets 230 mm. x 280 mm.
 Jumbo Rolls 915 mm.

Available Grit 40, 50, 60, 80

Grain	Garnet
Backing	D Wt. Paper
Bonding	Resin Over Glue
Coating	Open Coat

X-04E ALUMINUM OXIDE RESIN PAPER**Features & Applications**

Excellent for fiber board sheets to be used on straight line machine sanders and hand files with clip-on design. Open coated structure with blue color. Heavy duty paper backing, suitable for leather, wood, automotive refinishing.

Presentation & Standard Sizes

Sheets* 70 mm. x 444 mm.
Rolls Up to 915 mm. width
Assorted lengths

Available Grit 40, 50, 60, P80, P100, P120

**Available with PSA or velcro backing.*

Grain	Aluminum Oxide
Backing	E Wt. Paper
Bonding	Resin Over Glue
Coating	Open Coat, Blue Color

X- 45 ALUMINUM OXIDE GOLDEN PAPER**Features & Applications**

Excellent finishing paper for plastic coatings, painted surfaces, wood, MDF, fiber glass and plastic. Zinc stearate third coat, useful to prevent clogging.

Presentation & Standard Sizes

Sheets 230 mm. x 280 mm.
Cut Sheets
Rolls Up to 915 mm. width
Assorted lengths
Discs* 5" and 6" diameter

Available Grit 60B, P80B, P100B, P120B, P150B, P180B, P220B, P240B, P320B, P400B

**Available with PSA or velcro backing.*

Grain	Premium Aluminum Oxide
Backing	B Wt. Extra Flex Paper
Bonding	Full Resin Bonded
Coating	Open Coat

X-60 ALUMINUM OXIDE WATERPROOF C PAPER**Features & Applications**

Effective for wet or dry sanding applications where tear resistance is a significant factor. The C-weight waterproof paper backing, coating with silicon carbide abrasive, yields long life in rough, wet applications. Efficient deburring and preparing surfaces with paint, primer or other coatings.

Presentation & Standard Sizes

Sheets 230 mm. x 280 mm.

Available Grit P80, P100, P120, P150

Grain	Aluminum Oxide
Backing	C Wt. Paper
Bonding	Resin Over Resin
Coating	Closed Coat

X-12**SILICON CARBIDE WATERPROOF PAPER****Features & Applications**

Designed for wet or dry finishing applications where flexibility is crucial and tear resistance is not a factor. Closed coat structure for more material removal. Extremely long lasting product, durable for heavy stock removal. Effective for metalworking and painted metal surfaces by hand or orbital sanders.

Presentation & Standard Sizes

Sheets 230 mm. x 280 mm.

Grain	Silicon Carbide
Backing	A, C Wt. Paper
Bonding	Resin Over Resin
Coating	Closed Coat

Available Grit

60C, P180C, P220A, P240A, P280A, P320A, P360A, P400A, P600A, P1000A, P1200A, P1500A, P2000A, P2500A

X-17**FLOOR SANDING PAPER****Features & Applications**

Designed to be used in floor polishing and sanding. Heavy weight backing.

Presentation & Standard Sizes

Sheets Assorted widths and lengths
Rolls Up to 915 mm. width
Assorted lengths

Grain	Silicon Carbide
Backing	Combination and E Wt. Paper
Bonding	Resin Over Glue
Coating	Open and Semi Open Coated

Available Grit

16T, 20T, 40E, 50E, 60E, 80E, 100E, 120E

X-02 EMERY CLOTH**Features & Applications**

Abrasive grain with good polishing action. Closed coat design suitable for stock removal. Effective for cleaning and polishing of metal by hand or orbital sanders.

Presentation & Standard Sizes

Sheets 230 mm. x 280 mm.
Jumbo Rolls 915 mm.

Available Grit

Extra Coarse 50, Coarse 60, Medium 80, Fine 120, Extra Fine 180

X62 Emery Cloth, available in grits 30, 36, 50, 60, 80, 100, 120

Grain	Aluminum Oxide
Backing	J Wt. Cloth
Bonding	Resin Over Glue
Coating	Closed Coat

X-34 ALUMINUM OXIDE RESIN CLOTH**Features & Applications**

Effective for cartridge rolls, spin-on-overlape, folded pads. A reasonably priced product can be used for sanding both wood and metals.

Presentation & Standard Sizes

Rolls Up to 915 mm. width
Assorted lengths

Available Grit

P24X, 36X, 40X, 50X, 60X, P80X, P100X, P120X, P150X, P180X, P220X, P240X, P320X, P400X

Grain	Aluminum Oxide
Backing	X Wt. Cloth
Bonding	Resin Over Resin
Coating	Closed Coat

X-39J PREMIUM ALUMINUM OXIDE J FLEX CLOTH**Features & Applications**

A very flexible product, designed for contour sanding of metals. Used in grinding and finishing of edges and carving of metals and wood.

Presentation & Standard Sizes

Jumbo Rolls 915 mm.

Available Grit

60, P80, P100, P120, P150, P180, P220, P240, P320

Grain	Semi-friable heat hardened Aluminum Oxide
Backing	J Wt. Cloth, 100% Cotton
Bonding	Resin Over Resin
Coating	Open Coat

X - 40 BLUE WATERPROOF ALUMINUM OXIDE CLOTH**Features & Applications**

Very economic, general metal application wet or dry.

Presentation & Standard Sizes

Sheets	230 mm. x 280 mm.
Shop Rolls	25 mm. x 50 m. 38 mm. x 50 m. 50 mm. x 50 m.
Jumbo Rolls	915 mm.

Grain	Aluminum Oxide
Backing	J Wt. Cloth
Bonding	Resin Over Resin
Coating	Semi Open Coat

Available Grit 60, P80, P100, P120, P150, P180, P220, 240, 320

X- 42 ECONOMY EZ FLEX ALUMINUM OXIDE CLOTH**Features & Applications**

Very economic, flexible, general metal application.

Presentation & Standard Sizes

Sheets	230 mm. x 280 mm.
Shop Rolls	25 mm. x 50 m. 38 mm. x 50 m. 50 mm. x 50 m.
Jumbo Rolls	915 mm.

Grain	Aluminum Oxide, Brownish Color
Backing	J Wt. Cloth
Bonding	Resin Over Glue
Coating	Closed Coat

Available Grit 60, P80, P100, P120, P150, P180, P220, 240, 320, 400

INDEX

Products		PAGE
Paper Backing		
GARNET PRODUCTS		
X-03A	Garnet Finishing A Paper	1
X-03C	Garnet Cabinet C Paper	1
X-03D	Garnet Cabinet D Paper	1
ALUMINUM OXIDE PRODUCTS		
X-04E	Aluminum Oxide Resin Paper	2
X-45	Extra Flex Nonloading Aluminum Oxide Golden Paper	2
X-60	Aluminum Oxide Waterproof C Paper	2
SILICON CARBIDE PRODUCTS		
X-12	Silicon Carbide Waterproof Paper	3
X-17	Floor Sanding Paper	3
Cloth Backing		
ALUMINUM OXIDE PRODUCTS		
X-02	Emery Cloth	4
X-34	Aluminum Oxide Resin Cloth	4
X-39J	Premium Aluminum Oxide J Flex Cloth	4
X-40	Blue Waterproof Aluminum Oxide Cloth	5
X-42	Economy EZ Flex Aluminum Oxide Cloth	5